

@lgood



bronze solution



Characterised by its earthy colouring, Bronze meets the increasing desire for an alternative finish to stainless steel. By offering a consistent appearance across all items, we give you the confidence to specify a co-ordinated Bronze solution for all of your ironmongery.



1. door furniture




2. accessories

Contents



3. @lgood hardware



4. finishes





1. door furniture

Lever handles	6-8
Knob handle	9
Escutcheons and W/C turns	9
Pull handles and push plate	10-11


door furniture



41020

FSB lever handles with concealed fixing roses.


Finish: BR



41023

FSB lever handles with concealed fixing roses.

Finish: BR




Lever handles



41057

FSB lever handles with concealed fixing roses.



Finish: BR



41058

FSB lever handles with concealed fixing roses.


Finish: BR



41076

FSB lever handles with concealed fixing roses.

Finish: BR




door furniture



41099

FSB lever handles with concealed fixing roses.


Finish: BR



41106

FSB lever handles with concealed fixing roses.

Finish: BR




Lever and knob handles, escutcheons and W/C turns



40802

FSB knob handles with concealed fixing roses.

Finish: BR



40802.6

As above but fixed dead door knob with concealed through fixing.

Finish: BR

40802.5

As above fixed dead door knob with concealed face fixing.


Finish: BR



41735

FSB euro profile cylinder escutcheon with concealed fixings.


Finish: BR



41708

FSB euro profile cylinder escutcheon with concealed fixings to match 41057 lever handle (page 7).


Finish: BR



41735.5

FSB bathroom snib turn and emergency release indicator with concealed fixings.


Finish: BR



41708.7

FSB bathroom snib turn and emergency release indicator with concealed fixings to match 41057 lever handle (page 7).

Finish: BR




door furniture



46627


FSB pull handle. 400mm centres.
PLEASE STATE FIXING SUFFIX (below).

Finish: BR



Standard fixing proposal


Back to back fixing	suffix .3
Bolt through fixing	suffix .5
Single side fixing	suffix .6



46669

FSB pull handle. 400mm centres.
PLEASE STATE FIXING SUFFIX (below).

Finish: BR




Standard fixing proposal

Back to back fixing	suffix .3
Bolt through fixing	suffix .5
Single side fixing	suffix .6



46681

FSB pull handle. 150mm centres.
PLEASE STATE FIXING SUFFIX (below).
Finish: BR




Standard fixing proposal

Back to back fixing	suffix .3
Bolt through fixing	suffix .5
Single side fixing	suffix .6



45222.4

FSB push plate.
Finish: BR



Note

Kick plates are also available for project specific sizes. For details please contact your local Allgood office.



A vertical strip on the left side of the page showing a dark brown wood grain texture.

2. accessories

Letter plate	14
Numerals	14
Flush pull	15
Door stops	15
Signage	16-17
Window handles	18


accessories



43808

FSB letter plate complete with spacer and inside tidy.


Finish: BR



44005

FSB numerals.

Finish: BR




Add suffix for the following numerals:

Numeral 0	suffix .00
Numeral 1	suffix .01
Numeral 2	suffix .02
Numeral 3	suffix .03
Numeral 4	suffix .04
Numeral 5	suffix .05
Numeral 6	suffix .06
Numeral 7	suffix .07
Numeral 8	suffix .08
Numeral 9	suffix .09
Letter a	suffix .11
Letter b	suffix .12
Letter c	suffix .13
Letter d	suffix .14
Letter e	suffix .16
Forward slash	suffix .15


Letter plate, numerals, flush pull and door stops




44211
FSB flush pull.
Finish: BR




43880.4
FSB wall mounted door stop.
Finish: BR



43884.0
FSB floor mounted door stop.
Finish: BR




43884.1
FSB floor mounted plate for use with 43884.0 door stop.
Finish: XX




accessories




8432
'Male' sign.
Finish: BF




8434
'Unisex' sign.
Finish: BF



8433
'Female' sign.
Finish: BF



8435
'Disabled' sign.
Finish: BF






8447

'Automatic fire door keep clear' sign to BS5499.


Finish: BF



8449

'Fire door keep shut' sign to BS5499.


Finish: BF



8457

'Baby change' sign.


Finish: BF



8448

'Fire door keep locked' sign to BS5499.


Finish: BF



8456

'Shower' sign.


Finish: BF



8458

'Cloakroom' sign.

Finish: BF




accessories



43423

FSB window handle with click-stop mechanism and 7mm spindle to match 41023 lever handle (page 6).


Finish: BR



43736

FSB window handle with click-stop mechanism and 7mm spindle to match 41106 lever handle (page 8).

Finish: BR





3. @lgood hardware

Hinges	22-23
Overhead door closers	24-25
Locks and latches	26-28
Cylinders	29
Flushbolts	30-31






8064CB

Butt hinge.

- Load bearing capacity to 120kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
4761114013
- CE marked 1121-CPD-AC0099
- Certifire approved CF287
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finish: BF



8064RCB

As above but with 10mm radius corners.

Finish: BF




8066CB

Butt hinge.

- Load bearing capacity to 120kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
4761114013
- CE marked 1121-CPD-AC0099
- Certifire approved CF287
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finish: BF



8066RCB

As above but with 10mm radius corners.

Finish: BF




8068CB

Butt hinge.

- Load bearing capacity to 120kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
4761114013
- CE marked 1121-CPD-AC0099
- Certifire approved CF287
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finish: BF




8069CB

Butt hinge.

- Load bearing capacity to 200kg
- Concealed self-lubricating bearings
- Maintenance free
- Independently tested to BS EN 1935
4771114014
- CE marked 1121-CPD-AC0120
- Certifire approved CF287
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 25 year guarantee

Finish: BF





9251/6

Universal closing overhead door closer.

- Universal fixing (Fig 1 & Fig 6)
- Adjustable power 2-4 (Fig 1) and 1-3 (Fig 6)
- Adjustable closing speed with independent latch action
- Adjustable backcheck between angle of operation, 65°–180°
- Maximum door weight: 80kg
- Maximum door width: 1100mm
- Independently tested to BS EN 1154


4	8	4	2	1	1	4
---	---	---	---	---	---	---

 in Fig 1 application
- Independently tested to BS EN 1154

4	8	3	1	1	1	4
---	---	---	---	---	---	---

 in Fig 6 application
- CE marked 0672-CPD-0225
- Certifire approved CF702
- Incorporated in successful fire tests and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 120 minutes on timber doors and 240 minutes on metal doors
- 10 year guarantee

Finish: BF





9251/6DC

Delayed closing overhead door closer.

- Delayed closing function with 0-30 second adjustable delay between 70°-180°
- Universal fixing (Fig 1 & Fig 6)
- Adjustable power 2-6 (Fig 1) and 1-5 (Fig 6)
- Adjustable closing speed with independent latch action
- Adjustable backcheck between angle of operation, 70°-180°
- Maximum door weight: 120kg
- Maximum door width: 1400mm
- Independently tested to BS EN 1154


4	8	6	2	1	1	4
---	---	---	---	---	---	---

 in Fig 1 application
- Independently tested to BS EN 1154

4	8	5	1	1	1	4
---	---	---	---	---	---	---

 in Fig 6 application
- 10 year guarantee

Finish: BF






7204F60

Vertical mortice latch.

- Radius forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
3X|8|1|0|G|-|B|0|3|0
- CE Marked 1121-CPD-AG0009
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF




7208F60

Vertical mortice bathroom lock.

- Radius forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209
3X|8|1|0|G|-|B|0|3|0
- CE Marked 1121-CPD-AG0104
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF






7278F60

Vertical euro profile cylinder mortice emergency lock.

- Inside lever handle can withdraw both latch and deadbolt in one action, allowing quick escape for fire and safety reasons, without compromising security, as per “Secured by Design”
- Radius forend
- Heavily sprung for lever handles
- Bolt through fixing holes for furniture
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF


7279F60

Vertical euro profile cylinder mortice lock.

- Robust forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209

3	X	8	1	0	G	2	B	A	3	0
---	---	---	---	---	---	---	---	---	---	---
- CE Marked 1121-CPD-AG0008
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF




7281F60

Vertical euro profile cylinder mortice
nightlatch.

- Anti-thrust bolt – inhibits the latch from being forced back when in the locked position
- Radius forend
- Heavily sprung for lever handles
- Bolt through fixing holes for furniture
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF






7282F60

Vertical euro profile cylinder mortice lock.

- Lever handles on both sides will withdraw latch bolt. If deadbolt is projected, the inside handle only will withdraw both bolts. Door then remains unlocked until manually re-locked from outside or turn from inside
- Radius forend
- Heavily sprung for lever handles
- Reversible latchbolt without opening lockcase
- Bolt through fixing holes for furniture
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF




7286F60

Vertical euro profile cylinder mortice deadlock.

- Radius forend
- Bolt through fixing holes for furniture
- Independently tested to BS EN 12209 **3X810G2BA00**
- CE Marked 1121-CPD-AG0010
- Certifire approved CF347
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 60 minutes on timber doors and 120 minutes on metal doors
- 10 year guarantee

Finish: BF






7418A

Euro profile double cylinder with key operation on both sides.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers makes aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303

1601C62

Finishes: BF



Variations (mm)

	V	W
A	63	31.5 (standard)
B	71	35.5
C	80	40




7419A

Euro profile double cylinder with key operation on one side and unique Allgood turn on the other.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers makes aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303

1601C62

Finishes: BF



Variations (mm)

	V	W
A	63	31.5 (standard)
B	71	35.5
C	80	40




7420A

Euro profile single cylinder with key operation on one side only.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers makes aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303

1601C62

Finishes: BF




Variations (mm)

	V	W
A	41.5	31.5 (standard)
B	45.5	35.5
C	50	40




48800
Lever action flushbolt.
Finish: BF



48800F
As above but with 10mm radius corners.
Finish: BF



48801
Lever action flushbolt.
Finish: BF




48801F
As above but with 10mm radius corners.
Finish: BF



48802

Lever action flushbolt.

Finish: BF



48802F

As above but with 10mm radius corners.


Finish: BF



7051

Easy clean flushbolt socket.


Finish: BF



7053

Dirt excluding flushbolt socket.

Finish: BF



4. finishes

FSB Bronze	34
Bronze coated	35
Index	36

finishes



BR

FSB Bronze.

When subjected to regular use, a natural patina is formed on the finish and the ageing process of the material occurs.

FSB Bronze is made up of a copper tin alloy containing 92% copper and 8% tin. Furthermore, copper alloys provide natural anti-microbial properties throughout the duration of its lifetime.



BF

Simulated Bronze.

A unique finish created with several unique processes applied to stainless steel, imitating the look and feel of FSB Bronze.

Index

40802	9	Bathroom turns	9
40802.5	9	Cylinders	29
40802.6	9	Door closers	24, 25
41020	6	Door stops	15
41023	6	Euro profile escutcheons	9
41057	7	Finishes	34, 35
41058	7	Flushbolts	30, 31
41076	7	Flush Pulls	15
41099	8	Hinges	22, 23
41106	8	Knob handles	9
41708	9	Letter plates	14
41708.7	9	Lever handles	6, 7, 8
41735	9	Locks and latches	26, 27, 28
41735.5	9	Numerals	14
43423	18	Pull handles	10, 11
43736	18	Push plates	11
43808	14	Signage	16, 17
43880.4	15	Window furniture	18
43884.0	15		
44005	14		
44211	15		
45222.4	11		
46627	10		
46669	10		
46681	11		
48800	30		
48800F	30		
48801	30		
48801F	30		
48802	31		
48802F	31		
7051	31		
7053	31		
7204.60	26		
7208.60	26		
7278.60	27		
7279.60	27		
7281.60	27		
7282.60	28		
7286.60	28		
7418A	29		
7419A	29		
7420A	29		
8064CB	22		
8064RCB	22		
8066CB	22		
8066RCB	22		
8068CB	23		
8069CB	23		
8432	16		
8433	16		
8434	16		
8435	16		
8447	17		
8448	17		
8449	17		
8456	17		
8457	17		
8458	17		
9251/6	24		
9251/6DC	25		

Allgood would like to thank FR Shadbolt, PB Digital and Rob Wyatt Photography for their contributions to this brochure.

All information and details in this brochure are correct at time of going to press. However, Allgood plc reserves the right to change the product specifications without notice.

All dimensions are subject to production tolerances of $\pm 1\text{mm}$.

Printed on Consort 155, a paper produced using an environmentally friendly, elemental chlorine-free bleaching process, whilst its fibre contains raw materials sourced from Forest Stewardship Council (FSC) sustainable sources.

@lgood, @', and FSB are registered trademarks.

© Allgood plc 2010





uk projects

Allgood plc

18 Holborn
London EC1N 2LE
Telephone: 020 7387 9951
Facsimile: 020 7380 1232
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

63-83 Brearley Street
Birmingham B19 3NT
Telephone: 0121 359 4415
Facsimile: 0121 359 5832
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

Wrath Business Centre
MWarth Road, Bury
Greater Manchester, BL9 9NB
Telephone: 0161 834 6717
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

2 The Wright Business Centre
1 Lonmay Road, Glasgow, G33 4EL
Telephone: 0141 773 6298
Facsimile: 0141 771 6569
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk